

## REFERENCIAS BIBLIOGRÁFICAS

---

- Albert Brotons DC. *Cardiología Pediátrica y Cardiopatías congénitas del niño y del adolescente*. Grupo CTO Editorial. 2015, 1, w77-81.
- Allman KC. Myocardial Viability Testing and Impact of Revascularization on Prognosis in Patients With Coronary Artery Disease and Left Ventricular Dysfunction: A Meta-Analysis. *J Am Coll Cardiol*. 2002;39:1151-8.
- Almendral, J., Castellanos, E. & Ortiz, M. (2012). Taquicardias paroxísicas supraventriculares y síndromes de preexcitación. *Revista Española de Cardiología*, 65(5), 456-469.
- Ángel, M. & Rodríguez, M. (2013). Magnesio y enfermedad renal crónica. *Revista de Nefrología*, 33(3), 389-399.
- Aristizábal, J., Uribe, W., Medina, E., Velásquez, J., Marín, J. & Duque, M. (2012). Fibrilación auricular: una mirada actual. *Revista Colombiana de Cardiología*, 19, 1-247.
- Aufferheide TP; et al. A prospective evaluation of prehospital 12-lead ECG application in chest pain patients. *J Electrocardiol*. 1992; 24(Suppl): 8-13.
- Balasingama, M; Ebrahimbl, J; Ariffinb, A. Tele-echocardiography – Made for astronauts, now in hospitals. *Indian Heart Journal*. 2017; 69(2) : 252-254
- Barriales, R. y otros (2001). Anomalías congénitas de las arterias coronarias del adulto descritas en 31 años de estudios coronariográficos en el Principado de Asturias: principales características angiográficas y clínicas. *Revista Española de Cardiología*, 54, 268-281.
- Beanlands RSB, Nichol G, Huszti E, Humen D, Racine N, Freeman M, et al. F-18-Fluorodeoxyglucose Positron Emission Tomography Imaging-Assisted Management of Patients With Severe Left Ventricular Dysfunction and Suspected Coronary Disease. *J Am Coll Cardiol*. 2007;50(20):2002-12.

- Bellorin, E. y otros (2013). Guías de práctica clínica para la prevención, diagnóstico, evaluación y tratamiento de los trastornos minerales y óseos en la enfermedad renal crónica (TMO-ERC) en adultos. *Revista de Nefrología*, 33, 1-28.
- Bennhagen RG, Sornmo L, Pahlm O, et al. Serial signal-averaged electrocardiography in children after cardiac transplantation. *Pediatr Transplant*. Diciembre 2005;9(6):773-9.
- Benson DW, Sterba R, Gallager JJ, et al. Evolution of QRS and ST-T wave body surface potential distribution during the first year of life. *Circulation*. 1982;65:1247-58.
- Bermúdez F. Electrocardiografía diagnóstica. McGraw-Hill-Interamericana. 1998.
- Bild DE, Bluemke DA, Burke GL, Detrano R, Roux AVD, Folsom AR, et al. Multi-Ethnic Study of Atherosclerosis: Objectives and Design. *Am J Epidemiol* Am J Epidemiol. 2002;156(9):871-81.
- Blair J, Taggart B, Martin A, et al. Electrocardiographic safety profile and monitoring guidelines in pediatric psychopharmacology. *J Neural Transm*. Julio 2004;111(7):791-815.
- Bottoni N, Donateo P, Quartieri F, Tomasi C, Oddone D, Lolli G, et al. Outcome after cavo-tricuspid isthmus ablation in patients with recurrent atrial fibrillation and drug-related typical atrial flutter. *Am J Cardiol*. 2004;94:504-7
- Bruder O, Schneider S, Pilz G, Van Rossum AC, Schwitter J, Nothnagel D, et al. 2015 Update on Acute Adverse Reactions to Gadolinium based Contrast Agents in Cardiovascular MR. Large Multi-National and Multi-Ethnic Population Experience With 37788 Patients From the EuroCMR Registry. *Journal of Cardiovascular Magnetic Resonance* (2015) 17:58
- Buyukavci M, Olgun H, Ceviz N, et al. The effects of ondansetron and granisetron on electrocardiography in children receiving chemotherapy for acute leukemia. *Am J Clin Oncol*. 2005;28(2):201-4.

- Cairns, A; et al. A decision support system and rule-based algorithm to augment the human interpretation of the 12-lead electrocardiogram. 2017. In Press. <https://doi.org/10.1016/j.jelectrocard.2017.08.007> Disponible en: <http://www.sciencedirect.com/science/article/pii/S0022073617302479> Acceso el: 24.09.2017
- Calkins, H. y otros (2012). HRS/EHRA/ECAS Expert consensus statement on catheter and surgical ablation of atrial fibrillation: recommendations for patient selection, procedural techniques, patient management and follow-up, definitions, endpoints, and research trial desing. Heart rhythm. European Society of Cardiology.
- Caldarola, P; et al. ANMCO/SIT Consensus Document: telemedicine for cardiovascular emergency networks. European Heart Journal Supplements. 2017; 19 (D): D229-D243 <https://doi.org/10.1093/eurheartj/sux028>
- Camm, J. y otros (2013). Actualización detallada de las guías de la ESC para el manejo de la fibrilación auricular de 2012. *Revista Española de Cardiología*, 66(1), 54, e1-e24.
- Cannon, AR; et al. Use of prehospital 12-lead electrocardiography and treatment times among ST-elevation myocardial infarction patients with atypical symptoms. *Acad Emerg Med*. 2014; 21(8): 892-8. doi: 10.1111/acem.12445
- Castellano C, Pérez de Juan MA, Attie F. El electrocardiograma en los bloqueos de rama y bloqueos fasciculares. En: Castellano C, Pérez de Juan MA, Attie F (editores). *Electrocardiografía clínica*. 2a edición. Elsevier. 1996. p. 63-82.
- Castellanos, C. (2004). *Electrocardiografía clínica*. Segunda edición. España: Elsevier.
- Cheong BYC, Muthupillai R, Wilson JM, Sung A, Huber S, Amin S, et al. Prognostic significance of delayed-enhancement magnetic resonance imaging: Survival of 857 patients with and without left ventricular dysfunction. *Circulation*. 2009;120(21):2069-76.

- Clark DS, Hirsch HD, Tamer DM, et al. Electrocardiographic changes following surgical treatment of congenital cardiac malformations. *Progress in Cardiovasc Dis.* 1975;17(6):451-65.
- Clarck, M; et al. Surveying Multiple Health Professional Team Members Within Institutional Settings. *Eval Health Prof.* 2014 Sep; 37(3):287-313.
- Cleland JGF, Calvert M, Freemantle N, Arrow Y, Ball SG, Bonser RS, et al. The Heart Failure Revascularisation Trial (HEART). *Eur J Heart Fail.* 2011;13(2):227-33.
- Cosío García, Francisco ..., Flutter auricular: Perspectiva clínica actual. *Rev Esp Cardiol.* 2006; 59(8). 16-31.
- Cosío FG, Pastor A, Nuñez A, Goicolea A. Catheter ablation of typical atrial flutter. En: Zipes DP, Haïssaguerre M, editors. *Catheter ablation of arrhythmias.* 2nd ed. New York; Futura; 2002. p. 131-51.
- Crawford, A. & Harris, H. (2012). *Un equilibrio necesario: hipomagnesemia e hipermagnesemia.* España: Elsevier.
- Crawford, M. (2007). *Cardiología.* McGraw-Hill.
- Cruz, M. (2012). Taquicardia ventricular polimórfica catecolaminérgica. *Revista Cubana de Investigaciones Biomédicas,* 31(2), 187-198.
- Dale D. Trastornos de la conducción intraventricular. En: Dale D. *Interpretación del ECG su dominio rápido y exacto.* 4ª edición. Bogotá: Panamericana. 2005. p. 151-90.
- Davignon A, Rautaharju R, Boiselle F, et al. Normal ECG standards for infants and children. *Pediatr Cardiol.* 1980;1:123-31.
- Dee Melnyk, S; et al. Telemedicine Cardiovascular Risk Reduction in Veterans. *Am Heart J.* 2013; 165(4):501-508. doi:10.1016/j.ahj.2012.08.005.
- Dopico, J., Valdés, Y., Osoria, Ll., Galindo, I. & Marcel, E. (2013). La mioglobina como marcador del infarto agudo de miocardio en pacientes con síndrome coronario agudo. *Revista Latinoamericana de Patología Clínica,* 60, 25-32.

- Dubin AM. Electrocardiography. En: Moller JH and Hoffman JIE. Pediatric Cardiovascular Medicine. Wiley-Blackwell. Second edition. 2012. p. 102-112.
- Eitel I, De Waha S, Wöhrle J, Fuernau G, Lurz P, Pauschinger M, et al. Comprehensive prognosis assessment by CMR imaging after ST-segment elevation myocardial infarction. *J Am Coll Cardiol.* 2014;64(12):1217-26.
- Faur, D., Torguet, P. & Valles, M. (2013). Disfunción severa de marcapasos por hiperpotasemia. *Nefrología*, 33(4), 612-613.
- Filgueiras, D. y otros (2012). Principios básicos de las nuevas estrategias farmacológicas arrítmicas en fibrilación auricular. *Archivo de Cardiología de México*, 82(2), 139-152.
- Flamant, M. & Boulanger, H. (2012). Hiperpotasemia. *Tratado de Medicina*, 16, 1-4.
- Fowler RS, Finlay CD. The electrocardiogram in the neonate. En: Freedom R, Benson L, Smallhorn J. (editores). Neonatal Heart Disease. Springer Verlag. 1992. p. 91-5.
- Francone M, Bucciarelli-Ducci C, Carbone I, Canali E, Scardala R, Calabrese FA, et al. Impact of Primary Coronary Angioplasty Delay on Myocardial Salvage, Infarct Size, and Microvascular Damage in Patients With ST-Segment Elevation Myocardial Infarction. Insight From Cardiovascular Magnetic Resonance. *J Am Coll Cardiol.* 2009;54(23):2145-2153.
- Franks, P; et al. Childhood Obesity, Other Cardiovascular Risk Factors, and Premature Death. *N Engl J Med.* 2010; 362:485-493
- Galen, W. (2009). Electrocardiografía práctica. 11° edición. Lippincott Williams and Wilkins. Wolters Kluwer HEALTH.
- García, F., Pastor, A. & Núñez, A. (2012). Enfoque clínico de la taquicardia y el aleteo auricular desde su mecanismo: electrofisiología basada en la anatomía. *Revista Española de Cardiología*, 19(5), 235-251.

- Gaztañaga, L., Marchlinski, F. & Betensky, B. (2012). Mecanismos de las arritmias cardiacas. *Revista Española de Cardiología*, 65(2), 174-185.
- Gerber BL, Rousseau MF, Ahn SA, le Polain de Waroux J-B, Pouleur A-C, Philips T, et al. Prognostic Value of Myocardial Viability by Delayed-Enhanced Magnetic Resonance in Patients With Coronary Artery Disease and Low Ejection Fraction Impact of Revascularization Therapy. *JACC*. 2012;59(9):825-35.
- Gheorghiade M, Bonow RO. Chronic Heart Failure in the United States: A Manifestation of Coronary Artery Disease. *Circulation*. 1998;97(3):282-9.
- Gillinov AM, Gelijns AC, Parides MK, .... Surgical ablation of atrial fibrillation during mitral-valve surgery. *N Engl J Med*. 2015;372:1399-409.
- Giuffre RM, Nutting A, Cohen J, et al. Electrocardiogram interpretation and management in a pediatric emergency department. *Pediatr Emerg Care*. Marzo 2005;21(3):143-8.
- Goicolea A, Cosio FG, López Gil M, Kallmeyer C, Gómez P, De las Fuentes I. Conversion of recurrent atrial flutter with implanted pacemakers programmable to high rate AOO mode. *Eur J Cardiac Pac Electrophysiol*. 1992;2:19-21.
- Hait G, Gasul M. The evolution and significance of T wave changes in the newborn during the first seven days of life. *Am J Cardiol*. 1963;28:494-504.
- Hamilton RM, Houston AB, McLeod K, et al. Evaluation of pediatric electrocardiogram diagnosis of ventricular hypertrophy by computer program compared with cardiologists. *Pediatr Cardiol*. 2005;26(4):373-8.
- Hann CW, Willems S. El electrocardiograma: su interpretación práctica. 3ª edición. Bogotá: Editorial Medica Panamericana. 2008.
- Hastreiter AR, Abella JB. The electrocardiogram in the newborn period. II. The infant with disease. En: Behrman RE. *Fetal and neonatal medicine*. *J Pediatr*. 1971;78(2):346-54.
- Hastreiter AR, Abella JB. The electrocardiogram in the newborn period.

- I. The normal infant. En: Behrman RE. Fetal and neonatal medicine. J Pediat. 1971;78(1):146-56.
- Jiménez, J. (2011). Síndrome de QT largo secundario a hipocalcemia. Recuperado fecha en q se revisó el artículo de la [http://www.scielo.org.ar/scielo.php?pid=S1850-37482011000400011&script=sci\\_arttext](http://www.scielo.org.ar/scielo.php?pid=S1850-37482011000400011&script=sci_arttext)
- Jiménez, M., Arguedas, C. & Romero, L. (2013). El síndrome coronario agudo y otros diagnósticos provocan subregistro del infarto agudo de Miocardio
- Keith JD, Rowe RD, Vlad P. Heart disease in infancy and childhood. 2a edición. The Macmillan Company. 1967. p. 39-62.
- Ki Hyuk Joo; et al. Reduction of intra-hospital transport time using the easy tube arrange device. Clin Exp Emerg Med. 2016; 3(2):81-87.
- Kim RJ, Fieno DS, Parrish TB, Harris K, Chen EL, Simonetti O, et al. Relationship of MRI delayed contrast enhancement to irreversible injury, infarct age, and contractile function. Circulation. 1999;100(19):1992-2002.
- Kim RJ, Wu E, Rafael A, Chen E-L, Parker MA, Simonetti O, et al. The Use of Contrast-Enhanced Magnetic Resonance Imaging to Identify Reversible Myocardial Dysfunction. N Engl J Med. 2000;343(20):1445-53.
- Kirchhof, P. Guía ESC 2016 sobre el diagnóstico y tratamiento de la fibrilación auricular, Rev Esp Cardiol. 2017, 70(1):50.e1-e84.
- Kovacikova, L; et al. Transatlantic medical consultation and second opinion in pediatric cardiology has benefit past patient care: A case study in videoconferencing. Congenit Heart Dis. 2017;12(4): 491-496. doi: 10.1111/chd.12480
- Kuzmar, I; Cortés, E; Rizo, M. Asistencia y respuesta al tratamiento por sobrepeso y obesidad en una población de Barranquilla (Colombia). Nutr. clín. diet. hosp. 2014; 34(3):20-28 DOI: 10.12873/343kuzmar
- Kuzmar, I. Cómo crear un servicio de Telemedicina. Revisión Sistemática y análisis para su implementación. Ediciones Universidad Simón

- Bolívar. 2017: 1-151. ISBN: 978-958-8930-97-8.
- Kuzmar et al. (2015), Effectiveness of telenutrition in a women's weight loss program. PeerJ 3:e748; DOI 10.7717/peerj.748
- Kvedar, J; Coye, M; Everett, W. Connected Health: A Review of Technologies and strategies to improve patient care with Telemedicine and Telehealth. Health Aff. 2014; 33(2):194-199.
- Larose E, Rodés-Cabau J, Pibarot P, Rinfret S, Proulx G, Nguyen CM, et al. Predicting Late Myocardial Recovery and Outcomes in the Early Hours of ST-Segment Elevation Myocardial Infarction. Traditional Measures Compared With Microvascular Obstruction, Salvaged Myocardium, and Necrosis Characteristics by Cardiovascular Magnetic R. J Am Coll Cardiol. 2010;55(22):2459-69.
- Matiz Camacho, H.; Escobar, E.; Vega Llamas, R. Miocardio en el Hospital de México, Costa Rica. Recuperado fecha en q se revisó el artículo de la [http://www.scielo.sa.cr/scielo.php?script=sci\\_arttext&pid=S0001-60022013000100005](http://www.scielo.sa.cr/scielo.php?script=sci_arttext&pid=S0001-60022013000100005) Komandoor, S. & Glothin, D. Consulta rápida de cardiología.
- Morrow, D; et al. Evolution of Critical Care Cardiology: Transformation of the Cardiovascular Intensive Care Unit and the Emerging Need for New Medical Staffing and Training Models. Circulation. 2012; 126:1408-1428.
- M Paylos, J. Aislamiento circunferencial completo de venas pulmonares por crioblación con catéter balón en pacientes con fibrilación auricular paroxística, Rev Esp Cardiol. 2009;62(11):1326-31.
- Levin, R. y otros (2013). Síndrome coronario agudo secundario a hipoplasia grave del tronco y la arteria descendente anterior. *Revista Argentina de Cardiología*, 82, 157-159.
- López, J. & Álvarez, A. (2013). Tratamiento del infarto agudo de miocardio con ST elevado. Artículo A165, vol. 13.
- Low K, Kerfoot P, Lilly LS. The electrocardiogram. En: Lilly LS (editor). Pathophysiology of heart disease. 2a edición. Philadelphia: Wi-



- Williams & Wilkins. 1998. p. 65-99.
- Malpica Gonzalez JC y Garzón Perilla MC et al. Pautas para la intervención de enfermería en arritmias y manejo de marcapasos. En: Garzón Perilla MC, Malpica Gonzalez JC. Cuidado de enfermería al niño con cardiopatía. Distribuna. 2015. p 325-343.
- Márquez, M., Gómez, J. & Aranda, A. (2009). Avances recientes de la fisiopatología de la fibrilación auricular. México: Instituto Nacional de Cardiología Alfonso Chávez.
- Martínez, J., Merino, J., Ruiz, F. & Mont, J. (2013). Novedades en alteraciones del ritmo cardiaco: electrofisiología cardiaca, arritmias y estimulación cardiaca. *Revista Española de Cardiología*, 66(2), 116-123.
- Matiz, H. *Arritmias cardiacas, diagnóstico y tratamiento*. Bogotá: Kimpres
- Matiz Camacho H, Gutiérrez de Piñeres O. Fundamentos del electrocardiograma. En: Matiz Camacho H, Gutiérrez de Piñeres O (editores). *Electrocardiografía básica del trazado al paciente*. 1a edición. Bogotá: Kimpres Ltda. 1999. p. 31-177.
- Matiz Camacho H, Gutiérrez de Piñeres O, Torres A. Electrocardiografía. En: Rozo RH, Merchán A, Calderón J, et al (editores). *Cardiología*. Bogotá: Sociedad colombiana de Cardiología. 1a edición. 1999. p. 96-156.
- Matta, G. & García, J. (2012). Trombolisis en infarto agudo de miocardio con elevación del ST en paciente mayor de 75 años. *Revista Española de Cardiología*, 52, 916-956.
- McMurray, J. (2010). Systolic heart failure. *New England Journal of Medicine*. <http://www.nejm.org/doi/full/10.1056/nejmcp0909392>
- Meriño, T., Gyerra, E., Quiala, C., Fuentes, R. & Peralta, J. (2012). Caracterización clínica, epidemiológica y terapéutica de pacientes con infarto agudo de miocardio. *Medisan*, 16(9), 14-16.
- Millan F, Becker E, Iturralde P, et al. Complete congenital heart block. Its

- natural history and evolution. *Arch Inst Cardiol Mex.* 1999;69:241-9.
- Moreno, L., Rodríguez, H. & Martínez, J. (2012). Fibrilación auricular; evaluación y tratamiento. *Revista Médica Instituto de México Seguro Social*, 50(3) 2739284. <http://www.medigraphic.com/pdfs/imss/im2012/im123j.pdf>
- Moya, A., Sancho, M., Arenal, A., Filgado, Martínez, J., Merino, J., Ruiz, F. & Mont, J. (2013). Novedades en alteraciones del ritmo cardíaco: Electrofisiología cardíaca, arritmias y estimulación cardíaca. *Revista Española de Cardiología*, 66(2), 116-123.
- Myocardial Perfusion Imaging (MPI) Test. American Heart Association. [http://www.heart.org/HEARTORG/Conditions/HeartAttack/DiagnosingaHeartAttack/Myocardial-Perfusion-Imaging-MPI-Test\\_UCM\\_446352\\_Article.jsp#.WbwoZ5WFO70](http://www.heart.org/HEARTORG/Conditions/HeartAttack/DiagnosingaHeartAttack/Myocardial-Perfusion-Imaging-MPI-Test_UCM_446352_Article.jsp#.WbwoZ5WFO70).
- Nagel E, Lehmkuhl HB, Bocksch W, Klein C, Vogel U, Frantz E, et al. Noninvasive diagnosis of ischemia-induced wall motion abnormalities with the use of high-dose dobutamine stress MRI: comparison with dobutamine stress echocardiography. *Circulation.* 1999;99:763-70.
- Naum, C., Casasola, J. & Rivera, D. (2013). Hipomagnesemia asociada a inhibidores de la bomba de protones. *Medicina Interna*, 29(1)62-66.
- Niles, NM; et al. Primary percutaneous coronary intervention for patients presenting with ST-segment elevation myocardial infarction: process improvement in a rural ST-segment elevation myocardial infarction receiving center. *Prog Cardiovasc Dis.* 2010;53(3): 202-9. doi: 10.1016/j.pcad.2010.08.004
- Nuclear Cardiology: Guidance on the Implementation of SPECT Myocardial Perfusion Imaging. IAEA Human Health Series No. 23 (Rev. 1). STI/PUB/1753; (ISBN:978-92-0-107616-8); 101 pp. <http://www-pub.iaea.org/books/iaeabooks/11076/Nuclear-Cardiology-Guidance-on-the-Implementation-of-SPECT-Myocardial-Perfusion-Imaging>

- Nuclear Cardiology: Guidance and Recommendations for Implementation in Developing Countries. IAEA Human Health Series. No. 23. [http://www-pub.iaea.org/MTCD/Publications/PDF/Pub1566\\_web.pdf](http://www-pub.iaea.org/MTCD/Publications/PDF/Pub1566_web.pdf)
- Nuclear Medicine. Wikipedia. [https://en.wikipedia.org/wiki/Nuclear\\_medicine](https://en.wikipedia.org/wiki/Nuclear_medicine).
- Lev M, Harati S. Anatomic basis for impulse generation and atrioventricular transmission. En: Narula OS. His bundle. Electrocardiography and clinical electrophysiology. Philadelphia: FA Davis Company. 1980. p. 1-17.
- Lip GY, Windecker S, Huber K, Kirchhof P, ..., Management of anti-thrombotic therapy in atrial fibrillation patients presenting with acute coronary syndrome and/or undergoing percutaneous coronary or valve interventions: a joint consensus document of the European Society of Cardiology Working Group on Thrombosis, European Heart Rhythm Association (EHRA), European Association of Percutaneous Cardiovascular Interventions (EAPCI) and European Association of Acute Cardiac Care (ACCA) endorsed by the Heart Rhythm Society (HRS) and Asia-Pacific Heart Rhythm Society (APHRS). *Eur Heart J*. 2014;35:3155-79.
- O'Connor M, McDaniel N, Brady WJ. The pediatric electrocardiogram Part I: Age-related interpretation. *American Journal of Emergency Medicine*. 2008;26:221-8.
- Olivares López JL, Vázquez Olivares M, Fleta Zaragoza J, et al. Electrocardiographic and echocardiographic findings in children with overweight and obesity. *Med Clin (Barc)*. Jun 2005;125(3):93-4.
- Olivares JL, Vázquez M, Rodríguez G, et al. Electrocardiographic and echocardiographic findings in malnourished children. *J Am Coll Nutr*. Febrero 2005;24(1):38-43.
- Olmos, J., Berdullas, P., Fernández, H., Gómez, R. & Martín, R. (2011). Hiponatremia extrema sintomática. ¿Cuál es el ritmo adecuado de corrección?, España.

- Osorio-López, C; et al. Telemedicina Aplicada a la Valoración del Riesgo Cardiovascular: Experiencia en el Hospital María Angelines de Puerto Leguizamó, Putumayo. *Cienc. innov. salud.* 2013; 1(2): 95 -100 DOI: 10.17081/innosa.1.2.54
- Palacios, U., López, U., Fernández, E. & Puertolas, O. (2013). Torsade de pointes en el manejo de una fibrilación auricular. *Sumergen.*
- Parada, L. y otros (2012). Origen anómalo de la arteria coronaria izquierda del tronco de la arteria pulmonar de un paciente adulto. *Revista Especialidades Médico-Quirúrgicas*, 1751-1755.
- Park MK. Electrocardiography I. En: Park MK (editor). *The Pediatric Cardiology Handbook*. St. Louis: Mosby. 4th edition. 2010. p. 26-58.
- Passamani E, Davis KB, Gillespie MJ, Killip T. A randomized trial of coronary artery bypass surgery. Survival of patients with a low ejection fraction. *N Engl J Med.* 1985;312(26):1665-71.
- Perfusión miocárdica. Wikipedia. [https://es.wikipedia.org/wiki/Perfusi%C3%B3n\\_mioc%C3%A1rdica](https://es.wikipedia.org/wiki/Perfusi%C3%B3n_mioc%C3%A1rdica).
- Pinarli FG, Elli M, Dagdemir A, et al. Electrocardiographic findings after 5-HT(3) receptor antagonists and chemotherapy in children with cancer. *Pediatr Blood Cancer.* 2006;47:567-71.
- Rahimtoola SH. The hibernating myocardium.; *American Heart Journal*, 1989;117 (1): 211-221.
- Ramírez, N. (2012). *Arritmias cardiacas*. Buenos Aires, Segunda edición.
- Rasmussen MB; et al. Diagnostic performance and system delay using telemedicine for prehospital diagnosis in triaging and treatment of STEMI. *Heart.* 2014; 100:711-715.
- Recasens, Ll, Meron, O. & Ribas, N. (2013). Hiperpotasemia simulando un síndrome de Brugada. *Revista Española de Cardiología*, 66(4), 309.
- Roberts NK, Gelband H. Cardiac arrhythmias in the neonate, infant and child. *Appleton-Century-Crofts.* 1977:1-109.

- Rodríguez, P., Rebollo, I., Laínez, M., Roldán, E., Hernández, R. & Creagh, R. (2013). *Hipomagnesemia grave e hipoparatiroidismo secundario a Omeprazol*. Madrid: Universidad Europea de Madrid. 1-7.
- Romero J, Xue X, Gonzalez W, Garcia MJ. CMR imaging assessing viability in patients with chronic ventricular dysfunction due to coronary artery disease: A meta-analysis of prospective trials. *JACC: Cardiovascular Imaging*. 2012;5(5): 494-508.
- Romero, N., Buitrago, A., Mor, J., Carvajal, C., Pinzón, B. & Jurado, R. (2013). Origen anómalo de arterias coronarias: reporte de un caso y revisión de la literatura. *Revista Colombiana de Cardiología*, 19(6), 320323.
- Rovai, D., DiBella, G., Pingitore, A. & L'Abbate, A. (2012). La onda R dominante en V1 pero no en V2 es un signo de infarto transmural lateral grande. *Revista Española de Cardiología*, 65(12), 1068-1144
- Rowe RD, Freedom RM, Mehrizi A, et al. The neonate with congenital heart disease. Saunders, Philadelphia. 1981:65-76.
- Salazar J. Electrocardiografía y vectocardiografía en el niño. En: Sánchez PA (editor). *Cardiología Pediátrica. Clínica y Cirugía*. Barcelona: Salvat. 1986. p. 121-38.
- Satou, G; et al. Telemedicine in Pediatric Cardiology: A Scientific Statement From the American Heart Association. *Circulation*. 2017; 135: e648-e678.
- Schmieder S, Ndrepepa G, Dong J, Zrenner B, Schreieck J, Schneider MA.E, et al. Acute and long-term results of radiofrequency ablation of common atrial flutter and the influence of the right atrial isthmus ablation on the occurrence of atrial fibrillation. *Eur Heart J*. 2003;24:956-63.
- Shah DJ, Kim HW, James O, Parker M, Wu E, Bonow RO, et al. Prevalence of Regional Myocardial Thinning and Relationship With Myocardial Scarring. 2013;309(9):909-18.
- Shah RU, Freeman JV, Shilane D, Wang PJ, Go AS, Hlatky MA. Proce-

- dural complications, rehospitalizations, and repeat procedures after catheter ablation for atrial fibrillation. *J Am Coll Cardiol.* 2012;59:143-9.
- Slotwiner D; et al. Expert Consensus Statement on remote interrogation and monitoring for cardiovascular implantable electronic devices. *Heart Rhythm.* 2015;12:e69-e100
- Southall DP, Richards J, Michell P, et al. Study of cardiac rhythm in healthy newborn infants. *Br Heart J.* 1980;43:14-20.
- Stephan E, de Meeus A, Bouvagnet P. Hereditary bundle branch defect: Right bundle branch blocks of different causes have different morphologic characteristics. *Am Heart J.* 1997;133:249-56.
- Stress/Rest Myocardial Perfusion Imaging (MPI). Society of Nuclear Medicine and Molecular Imaging. <http://www.snmmi.org/AboutSNMMI/Content.aspx?ItemNumber=986>
- Tamargo, J. & Delpon (2009). Estimulación vagal y remodelado eléctrico auricular. *Revista Española de Cardiología*, 62(7), 729-732.
- The Atrial Fibrillation Follow-Up Investigation of Rhythm Management (AFFIRM) Investigators. A comparison of rate control and rhythm control in patients with atrial fibrillation. *N Engl J Med.* 2002;347:1825-33.
- Turkbey EB, Nacif MS, Guo M, McClelland RL, Teixeira PBRP, Bild DE, et al. Prevalence and Correlates of Myocardial Scar in a US Cohort. *Jama.* 2015;314(18):1945-54.
- Varma N, Epstein AE, Irimpen A, Schweikert R, Love C; TRUST Investigators. Efficacy and safety of automatic remote monitoring for implantable cardioverter-defibrillator follow-up: the Lumos-T Safely Reduces Routine Office Device Follow-up (TRUST) trial. *Circulation.* 2010; 122:325-332.
- Vásquez, M. & Moreno, A. (2013). Manejo urgente de las arritmias cardíacas en atención primaria. *Medicina Familiar*, 14(1),50-60.
- Van Hare GF, Dubin AM. The normal electrocardiogram. En: Allen HD, Driscoll DJ, Shaddy RE, Feltes TF et al (editores). *Moss and Adams'*

- heart disease in infants, children and adolescents. Including the fetus and the young adult. Philadelphia: Lippincott Williams and Wilkins. 7ma edición. Vol. 1, 2008. p. 253-58.
- Velazquez EJ, Lee KL, Deja MA, Jain A, Sopko G, Marchenko A, et al. Coronary-Artery Bypass Surgery in Patients with Left Ventricular Dysfunction for the STICH Investigators. *N Engl J Med.* 2011;364(28):1607-16.
- Victorica B. Electrocardiogram interpretation and diagnostic value. En: Gessner IH, Victorica BE. *Pediatric cardiology. A problem oriented approach.* Philadelphia: WB Saunders Company. 1993. p. 47-80.
- Wagner A, Mahrholdt H, Holly TA, Elliott MD, Regenfus M, Parker M, et al. Contrast-enhanced MRI and routine single photon emission computed tomography (SPECT) perfusion imaging for detection of subendocardial myocardial infarcts: an imaging study. *Lancet.* 2003;361(9355):374-9.
- Waha S De, Desch S, Eitel I, Fuernau G, Zachrau J, Leuschner A, et al. Impact of early vs. late microvascular obstruction assessed by magnetic resonance imaging on long-term outcome after ST-elevation myocardial infarction : a comparison with traditional prognostic markers. 2010;2660-8.
- Wellnhofer E, Olariu A, Klein C, Gräfe M, Wahl A, Fleck E, et al. Magnetic Resonance Low-Dose Dobutamine Test Is Superior to Scar Quantification for the Prediction of Functional Recovery. *Circulation.* 2004;109(18):2172-4.
- Whitman V, Ellis NG. Pulmonary hemodynamics after repair of left-to-right shunt. Lesions associated with pulmonary artery hypertension. *Progress in Cardiovasc Dis.* 1975;17(6):467-72.
- Windecker S, Kolh P, Alfonso F, Collet J-P, Cremer J, Falk V. 2014 ESC/EACTS Guidelines on myocardial revascularization. *Eur Heart J.* 2014 Oct 1;35(37):2541-619.
- WHO. Cardiovascular diseases (CVDs). Fact sheet. 2017 Disponible en:

<http://www.who.int/mediacentre/factsheets/fs317/en/> Acceso el 24.09.2017

- Wren C. Guía concisa de Arritmias pediátricas. Amolca. 2013. p 5-8.
- Yew, H; et al. User-centric based vertical handover decision algorithm for telecardiology application in heterogeneous networks. *Jurnal Teknologi*. 2015; 77(7):79-83.
- Yen Ho S, Anderson RH. Morphology of the cardiac conduction system. En: Gillette PC, Garson A. *Clinical pediatric arrhythmias*. Philadelphia: WB Saunders Company. 2a edición. 1999. p. 3-22.
- Ziegler RF: Electrocardiography. En: Ziegler RF. *Electrocardiographic studies in normal infants and children*. Springfield, Illinois: Charles C Thomas Publisher. 1951. p. 3-9.
- Zimmerman F. The resting electrocardiogram and ambulatory ECG monitoring. En: Koenig P, Higazi ZM and Zimmerman F. *Essential Pediatric Cardiology*. McGraw Hill. 2004. p. 315-326.

## **BIBLIOGRAFÍA CONSULTADA**

- Goldberg RJ, Spencer FA, Gore JM, Lessard D, Yarzebski J. Thirty-year trends (1975 to 2005) in the magnitude of, management of, and hospital death rates associated with cardiogenic shock in patients with acute myocardial infarction a population-based perspective. *Circulation* 2009;119:1211-1219.
- 2017 ESC Guidelines for the management of acute myocardial infarction in patients presenting with ST-segment elevation: The Task Force for the management of acute myocardial infarction in patients presenting with ST-segment elevation of the European Society of Cardiology (ESC) Borja Ibanez Stefan James Stefan Agewall Manuel J Antunes, Chiara Bucciarelli-Ducci Héctor Bueno Alida L P Caforio Filippo, Crea John A, GoudevenosSigrun Halvorsen, *European Heart Journal*, 39(2), 7 January 2018 119-177
- Ellis SG Tendera M, de Belder MA, van Boven AJ, Widimsky P, Janssens



L, Andersen HR, Betriu A, Savonitto S, Adamus J, Peruga JZ, Kosmider M, Katz O, Neunteufl T, Jorgova J, Dorobantu M, Grinfeld L, Armstrong P, Brodie BR, Herrmann HC, Montalescot G, Neuman FJ, Effron MB, Barnathan ES, Topol EJ, *FINESSE Investigators Facilitated PCI in patients with ST-elevation myocardial infarction N Engl J Med* 2008 358 (21):2205 - 2217